




**Instructions for Use: Wellness Screens**


<b>Brand Name of Product</b>	Wellness Screens
<b>Generic Name of Product</b>	Wellness Screens
<b>Product Code Number(s)</b>	WS-001, WS-002
<b>Intended Use</b>	Provide a see-through barrier with a pass-through opening.
<b>Range of Applications for Product</b>	Workstations, desks, receptions windows, etc.
<b>Key Specifications of Product</b>	<ul style="list-style-type: none"> <li>• Crystal clear cast acrylic</li> <li>• Heavy duty</li> <li>• Free standing, portable</li> <li>• Chemical resistant</li> </ul> <p><b>WS-001 (Pick-Up Style):</b></p> <ul style="list-style-type: none"> <li>• 32" H x 24" W</li> <li>• Slits: 7 5/16" L</li> <li>• Opening of slits: 1/4" W</li> <li>• Clear acrylic: 1/4" thick</li> <li>• 7" W on each side of opening</li> <li>• Arch: 10" W</li> </ul> <p><b>Acrylic Holder:</b></p> <ul style="list-style-type: none"> <li>- 14 9/16" H x 12 1/4" W</li> <li>- Slits: 7 5/16" L</li> <li>- Opening of slits: 1/4" W</li> <li>- Clear acrylic: 1/4" thick</li> <li>- Legs: 4 3/6" W</li> <li>- Arch: 4" W</li> </ul> <p><b>WS-002 (Pick- Up Style):</b></p> <ul style="list-style-type: none"> <li>• 32" H x 32" W</li> <li>• Slits: 7 3/8" L</li> <li>• Opening of slits: 1/4" W</li> <li>• Clear acrylic: 1/4" thick</li> <li>• 10" W on each side of opening</li> <li>• Opening: 12" W x 7" H</li> </ul> <p><b>Acrylic Holder:</b></p> <ul style="list-style-type: none"> <li>- 12 9/16"H x 12 1/4" W</li> <li>- Slits: 5 3/8" L</li> <li>- Opening of slits: 1/4" W</li> <li>- Clear acrylic: 1/4" thick</li> <li>- Legs: 4 3/16" W</li> <li>- Arch: 4" W</li> </ul>

<b>Shipping Conditions &amp; Requirements</b>	
<b>Storage Conditions</b>	
<b>Packaging Contents</b>	
<b>Shelf Life</b>	

<b>Instructions for Using Product</b>	
<b>Description of Use(s)</b>	Provide a see-through barrier with a pass-through opening.
<b>Preparation for Use</b>	
<b>Diagrams (drawings, pictures)</b>	<b>WS-001</b>



**WS-002**



<b>Steps for Use of Product</b>	<ol style="list-style-type: none"> <li>1. Hold the clear acrylic screen with both hands.</li> <li>2. Align the slits at the bottom of the screen with the slits on the clear acrylic holder.</li> <li>3. Slide the screen down into slits of the acrylic holder.</li> </ol>
<b>Interpretation of Test Results</b>	
<b>Contraindications of Test Results</b>	
<b>Documentation</b>	
<b>Special Warnings and Cautions</b>	
<b>Disposal</b>	

<b>Reprocessing Instructions</b>	
<b>Point of Use</b>	
<b>Preparation for Decontamination</b>	
<b>Disassembly Instructions</b>	
<b>Cleaning – Manual</b>	Clean with warm soapy water. Gentle soap and rinse with clean water.
<b>Cleaning – Automated</b>	
<b>Disinfection</b>	<p><b>Approved disinfectants:</b></p> <ul style="list-style-type: none"> <li>• Bleach: 1/3 cup per gallon of water to dilute</li> <li>• Isopropyl alcohol: wipes or sprays containing at least 70%</li> <li>• Hydrogen peroxide: 3-5% (do not dilute)</li> <li>• Spray cleaner</li> </ul>

	<ol style="list-style-type: none"> <li>1. Spray cleaner on a soft cloth or microfiber cloth.</li> <li>2. DO NOT apply cleaner directly to the screen.</li> <li>3. Apply mild pressure to wipe.</li> </ol>
<b>Drying</b>	
<b>Maintenance, Inspection, and Testing</b>	
<b>Reassembly Instructions</b>	
<b>Packaging</b>	
<b>Sterilization</b>	
<b>Storage</b>	
<b>Additional Information</b>	
<b>Related Healthmark Products</b>	
<b>Other Product Support Documents</b>	PPE Brochure, PPE Price List
<b>Reference Documents</b>	
<b>Customer Service Contact</b>	Healthmark Industries Company, Inc. 18600 Malyn Blvd. Fraser, MI 48026 1-586-774-7600 <a href="mailto:healthmark@hmark.com">healthmark@hmark.com</a> hmark.com