

**ISO 9001** 

Rev 07/2012

# **STERIKING® Sterilization packaging**

# 1. COMMERCIAL PRODUCT NAME AND NAME OF COMPANY:

**Commercial name:** Steriking® Sterilization packaging

Manufacturer/Supplier: Wipak Oy, Wipaktie 2, 15561 Nastola, Finland

## 2. **COMPOSITION / INFORMATION ON INGREDIENTS**

**Product description:** Packaging material for sterilizing the hospital items **Composition:** -Bleached medical grade paper, 70g/m² (57% in weight)

-Polyethylene Terephtalate/Polypropylene (PET/PP) plastic laminate

12/40 microns (43% in weight)
-Printing inks, indicator inks

Raw materials has been permitted for use in contact with food and drugs by the German BGA and the American FDA.

#### 3. POSSIBLE HAZARDS

Medical grade paper and PET/PP plastic laminate are not classified as dangerous according to EC directives and other international safety guidelines.

# 4. FIRST AID MEASURES

**Inhalation:** Remove to fresh air. Seek medical attention if necessary. **Skin contact:** If burned by contact with molten material, cool as quickly as

possible. Do not peel material from skin.

**Eye contact:** If molten material contacts the eye, immediately flush with plenty

of water for at least 15 minutes. If easy to do, remove contact

lenses. Get medical attention immediately.

**Ingestion:** Material is not expected to be absorbed from the gastrointestinal

tract. However the printing chemicals e.g. the chemical indicator ink could be harmful so that induction of vomiting could be necessary although the amount of the chemicals is very small.

#### 5. FIRE-FIGHTING MEASURES

# Product is combustible.

**Extinguishing media:** Water spray, foam, dry powder, carbon dioxide **Hazardous combustion products:** Carbon Dioxide CO<sub>2</sub>, Carbon Monoxide (CO)

**Special fire-fighting procedures:** Wear self-contained breathing apparatus and suitable protective

clothing

# 6. ACCIDENTAL RELEASE MEASURES

No special measures required.

Fax +358-(0) 20-510 3333 E-mail: steriking@wipak.com Website: www.steriking.fi

Tel: +358-(0) 20-510 311



ISO 9001

## 7. HANDLING AND STORAGE

No special precautionary measures should be needed under anticipated conditions of use against fire and explosion required. Keep from contact with oxidizing materials.

#### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

No exposure limit values established. No special protection needed. In very rare cases when handled in a certain way, the edge of the material can be sharp enough ti cut the skin. Careful handling in recommended to be followed.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical form: Solid

Colour:White/greenishOdour:OdourlessIgnition temperature:230°C

**pH:** Not applicable

#### 10. STABILITY AND REACTIVITY

**Stability:** Stable

**Incompatibility:** Material can react with strong oxidizing agents

**Hazardous reactions:** Does not occur

## 11. TOXICOLOGICAL INFORMATION

Effects of exposure:

Inhalation:Not classified as dangerousEyes:Not classified as dangerousSkin:Not classified as dangerousIngestion:Not classified as dangerous

# 12. ECOLOGICAL INFORMATION

The material has not been tested for environmental effects.

## 13. DISPOSAL CONSIDERATIONS

The suitable disposal methods are incinerating and burying on an approved site. Please refer to national and local regulations regarding waste disposal.

## 14. TRANSPORT INFORMATION

Air: Not regulated by International Civil Aviation Organization (ICA)

Sea: Not regulated by International Maritime Dangerous Goods (IMDG)

Railway: Not regulated by ADR/RID

#### 15. REGULATORY INFORMATION

Not applicable.







**ISO 9001** 

## 16. OTHER INFORMATION

The data given here is based on current knowledge and experience. No responsibility is accepted that information is sufficient or correct in all cases. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of this product and the safety and healt of employees, customers anh third parties and the protection of the environment.

Tel: +358-(0) 20-510 311

Fax +358-(0) 20-510 3333

Website: www.steriking.fi

E-mail: steriking@wipak.com