

Getinge Assured

Mini Bowie-Dick Test Pack

1.0 Product	Product Name	Getinge Assured Mini Bowie-Dick Test Pack
and Company	Product Code	61301606667
Identification	Producer	SteriTec Products, Incorporated 74 Inverness Drive East Englewood, CO 80112 (USA)
	Telephone No.	1-303-660-4201 (8:00 AM - 5:00 PM MST)
	Facsimile No.	1-303-660-4213 (24 Hours)
	Emergency No.	1-800-424-9300 (CHEMTREC) 24-Hour All Emergencies 1-703-527-3887 (From Outside USA-Collect Calls Accepted)
	NOTICE	Notice: This product meets the definition of an "article" and is exempted from SDS requirements as defined by Section 1.3.2.1.1 Of the GHS fourth revised edition (2011), 29 CFG part 1910.1200 of the U.S. OSHA Hazard Communication Standard, and Section 3 of the Canadian Hazardous Products Act. The information provided in this SDS is for informational purposes only and does not necessarily reflect warning and precautionary statements indicated on the product's packaging or container label. Additionally, the ingredients contained in this product are below the respective cut-off levels for SDS development under the above referenced regulations.
2.0 Hazards	GHS Classification	Acute Toxicity (Oral), Category 5 Acute Toxicity (Dermal), Category 5
2.0 Hazards Identification	GHS Classification GHS Label Code(s)	
		Acute Toxicity (Dermal), Category 5
	GHS Label Code(s)	Acute Toxicity (Dermal), Category 5 H303 + H313
	GHS Label Code(s) Pictogram(s)	Acute Toxicity (Dermal), Category 5 H303 + H313 None
	GHS Label Code(s) Pictogram(s) Signal Word(s) Hazard	Acute Toxicity (Dermal), Category 5 H303 + H313 None Warning H303 + H313 May be harmful if swallowed or in contact with
	GHS Label Code(s) Pictogram(s) Signal Word(s) Hazard Statement(s) Precautionary Statement(s) This product presen Inhalation of decom irritation. If irritatio	Acute Toxicity (Dermal), Category 5 H303 + H313 None Warning H303 + H313 May be harmful if swallowed or in contact with skin. P264 – Wash hands thoroughly after handling. P270 – Do not eat, drink or smoke when using this product.

3.0 Composition	0			50.1	
•	Component Trade Secret 1		CAS Number	EC Number	Weight %
/ Information on			Registered	Registered	< 1
Ingredients	Trade Secret 2		Registered	Registered	< 0.1
	Antimony Trioxide		1309-64-4	215-175-0	<0.1
	Butyl Benzyl Phthalate		85-68-7	201-622-7	<0.1
	Non-Hazardous Co	mponent	Not Applicable	Not Applicable	98.4 - 99.00
4.0 First Aid Measures	Due to the low levels of hazardous components contained in this product, no delayed or chronic adverse health effects are expected to occur via any exp route under normal conditions of use by qualified persons. For sensitive or susce individuals, treat symptomatically as described below.				a any exposure
	Inhalation	Breathing difficulty caused by inhalation of particulates re- quires removal to fresh air. If breathing has stopped, perform artificial respiration if qualified and trained and obtain medical assistance at once.			
	Ingestion	Obtain medical assistance at once regardless of the presence or absence of symptoms. Only induce vomiting if advised by a medical professional.			
	Skin	Subcutaneous deposition through skin cuts and abrasions can be treated by standard first aid measures. Skin contamination through direct contact can be removed by washing with soap and water. If irritation persists, obtain medical assistance.			
	Eyes	Material should be flushed from the eyes with copious amour of clean water. If irritation persists, obtain medical assistant DO NOT rub the eyes if particulate matter or foreign object are present as corneal damage can occur.			cal assistance.
5.0 Firefighting Measures	Suitable Extinguishing Media	Use water, dry chemical, foam, or carbon dioxide to extingu fire.			e to extinguish
	Fire Fighting Procedures	Do not flush down sewers or other drainage systems. Expo firefighters must wear NIOSH-approved positive press self-contained breathing apparatus with full-face mask full protective clothing.			sitive pressure
	Unusual Fire and Explosion Hazards	None known.			
	Combustion Products	Irritating or toxic substances may be emitted upon therm decomposition including acrolien and oxides of carbon ar nitrogen.			

6.0 Accidental Release Measures	Personal Precautions, Protective Equipment and Emergency Procedures	Non-Emergency Personnel: Spills or releases of this product are not expected to result in significant emergency response procedures. Wear protective cotton gloves or their equivalent when cleaning spilled or released material.	
		Emergency Responders: If large amounts of spilled or released materials are involved, wear appropriate and approved protective clothing appropriate to the incident to prevent skin contact. Respiratory protection should be worn if material is involved in a fire. (See Section 8.0).	
	Environmental Precautions	Prevent water used to extinguish fires from reaching drains, sewers, surface waters or groundwater.	
	Methods and Materials for Containment and Cleanup	Released material in dry form may be swept up using a broom and dust pan or picked up by hand if wearing protective cotton gloves or their equivalent. Prevent water used to extinguish fires from reaching drains, sewers, surface waters or groundwater by diking, berming or using vacuuming methods to clean up extinguishing media.	
7.0 Handling and Storage	Precautions for Safe Handling	Under conditions of normal handling and use expected for this product, no handling precautions other than those explained below are believed to be necessary. Handling precautions will be dependent on the method in which the product is used. Consult your safety representative for more details. DO NOT eat, drink or smoke when handling this product. Wash hands thoroughly after handling.	
	Storage	Keep product sealed in its original container at room temperature 10 to 38°C (50 to 100° F)and at normal humidity (30 to 60 %). DO NOT mix this product with any other chemical substances.	

8.0 Exposure Controls / Personal Protection	Component	CAS Number	OSHA PEL (mg/m3)	ACGIH TLV (mg/m3)
	Trade Secret 1	Registered	None Established	None Established
	Trade Secret 2	Registered	None Established	None Established
	Antimony Trioxide	1309-64-4	0.5	0.5
	Butyl Benzyl Phthalate	85-68-7	None Established	None Established
	Non-Hazardous Components	Not Applicable	None Established	None Established
	Appropriate Engineering Controls	None needed when this product is used in its prescribed manner by qualified personnel.		
	Eye/Face Protec- tion	Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).		

	Skin Protection Respiratory Protection	None needed when this product is used in its prescribed manner by qualified personnel. Wear impervious clothing if exposures to skin are excessive. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. None needed when this product is used in its prescribed manner by qualified personnel. For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
	Thermal Hazards	None anticipated when this product is used in its prescribed manner by qualified personnel.
	Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of the workday.
9.0 Physical and	Appearance	Purple/Black/White Card (Solid)
Chemical Properties	Odor	None
	Odor Threshold	None
	рН	Not Applicable
	Melting Point	Not Applicable
	Freezing Point	Not Applicable
	Boiling Point	Not Applicable
	Boiling Range	Not Applicable
	Flash Point	Not Applicable
	Evaporation Rate	Not Applicable
	Flammability	Not Flammable
	Upper Flammable Limit	Not Applicable
	Vapor Pressure	Not Applicable
	Vapor Density	Not Applicable
	Relative Density	Not Applicable
	Solubility	Not Soluble
	Octanol/Partition Coe	fficient Not Applicable
	Auto Ignition Temperat	
	Decomposition Tempe	
	Viscosity	Not Applicable
	-	

10.0 Stability and	ReactivityThis product is rChemical StabilityThis product is s		not reactive. stable under normal handling conditions.		
Reactivity					
	Possibility of Hazardous Reactions	This product wi	ll not polymerize.		
	Conditions to Avoid	Avoid open flam	Avoid open flames as test paper is combustible. Acids, Bases, Oxidizers, Reducing Agents and Halogens.		
	Incompatible Materials	Acids, Bases, O			
	Hazardous Decomposition Products	Irritating or toxi oxides of carbo	substances including metallic oxides and and nitrogen.		
11.0 Toxicological	The toxicological properties of this product have not been fully investigated as a whole.				
Information	Acute Toxicity:		No Data Available		
	Skin Corrosion/Irritatior	1:	No Data Available		
	Serious Eye Damage/Irritation:		No Data Available		
	Respiratory or Skin Desensitization:		No Data Available		
	Germ Cell Mutagenicity:		No Data Available		
	Carcinogenicity:		No Data Available		
	Reproductive Toxicity:		No Data Available		
	STOT - Single Exposure:		No Data Available		
	STOT - Repeated Exposure:		No Data Available		
	Aspiration Hazard:		No Data Available		
	Ingestion:		No Data Available		
	Inhalation: Skin / Eye Exposure:		No Data Available No Data Available		
	Acute and Chronic Effects:		No Data Available		
	Potential Health Effects:		No Data Available		
	Signs and Symptoms of Exposure:		No Data Available		
	Synergistic Effects:		No Data Available		
12.0 Ecological	The ecological properties of this product have not been fully investigated as a whole.				
Information	Toxicity to Fish and Invertebrates		No Data Available		
	Persistence and Degradability		No Data Available		
	Bioaccumulative Potential		No Data Available		
	Mobility in Soil		No Data Available		
	PBT and vPvB Assessment		No Data Available		
	Other Adverse Effects		No Data Available		

13.0 Disposal Considerations	Product	Offer surplus and non-recyclable material to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Discarded product may be considered a U.S. Hazardous Waste if Toxic Characteristic Leachate Procedure shows >5 ppm Chromium content.	
	Contaminated Packaging	Dispose of as unused product.	
14.0 Transport Information	This product is not a hazardous material when shipped according to DOT, IATA or IMDG shipping regulations.		
15.0 Regulatory Information	Emergency Planning and Community Right- To-Know Act (EPCRA)	This product is exempt from regulation under the "article exemption".	
	Toxic Substances Control Act (TSCA)	All constituents are listed on the TSCA Inventory.	
	Clean Air Act (CAA)	This product is exempt from regulation under the "article exemption".	
	Clean Water Act (CWA)	This product is exempt from regulation under the "article exemption".	
	Comprehensive Environmental Response Compensation and Liability Act	This product is exempt from regulation under the "article exemption".	
	State Right to Know Lists	No substances in this product are present above any U.S. State's respective thresholds.	
	California Proposition 65 Components	WARNING! This product contains a chemical known to the State of California to cause cancer. Antimony Trioxide	
		WARNING! This product contains a chemical known to the State of California to cause developmental harm. Butyl Benzyl Phthalate	
	Section 313 Supplier Notification	This product is exempt from regulation under the "article exemption".	
	European Inventory of Existing Commercial Chemical Substances	All substances contained in this product are listed on the EINECS.	

16.0 Other Information

This Material Safety Data Sheet complies with the U.S. Hazard Communication Requirements contained in 29 CFR Part 1910.1200 as promulgated by the U.S. Occupational Health and Safety Administration (OSHA), the American National Standards Institute (ANSI) recommended practice for preparing MSDS sheets as contained in ANSI Z400.1- 2004, Section 13 of the Canadian Hazardous Products Act (HPA) and the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Abbreviations

- % Percent
- ACGIH U.S. American Conference of Governmental Industrial Hygienists
- C Degrees Celcius
- CAA U.S. Clean Air Act
- CAS Chemical Abstracts Number
- CERCLA U.S. Comprehensive Environmental Response Compensation and Liability Act
- CWA U.S. Clean Water Act
- DOT U.S. Department of Transportation
- EC European Commission Number
- EC50 Half maximal effective concentration
- EINECS European Inventory of Existing Commercial Chemical Substances
- EPCRA U.S. Emergency Planning and Community Right-To-Know Act
- EU European Union
- F Degrees Fahrenheit
- GHS Globally Harmonized System (GHS) of Classification and Labeling of Chemicals
- H Hours
- HPA Hazardous Products Act
- IARC International Agency for the Research on Cancer
- IATA International Air Transport Association
- IMDG International Maritime Dangerous Goods
- LC50 Lethal Dose to kill 50% of test species via inhalation
- LD50 Lethal Dose to kill 50% of test species via oral or dermal administration
- LDLO Lethal Dose Low Concentration
- mg/kg Milligram per kilogram of body weight
- mg/l Milligrams per liter
- mg/m3 Milligrams per cubic meter
- MSDS Material Safety Data Sheet
- NAAQS National Ambient Air Quality Standard established under CAA
- NPDES U.S. National Pollutant Discharge Elimination System
- NTP U.S. National Toxicology Program
- OSHA U.S. Occupational Safety and Health Administration (See OSHA)
- PBT Persistent Bioaccumulative Toxin
- PEL Permissible Exposure Limit Averaged Over 8 Hours (See OSHA)
- Ppb Parts Per Billion
- Ppm Parts Per Million
- Prop 65 California Proposition 65
- REACH Registration, Evaluation, Authorization and Restriction of Chemicals (See EU)
- RQ Reportable Quantity RTK Right-To-Know SDS Safety Data Sheet
- SVHC Substances of Very High Concern (See REACH)
- TLV Threshold Limit Value Averaged over 8 Hours (See ACGIH)
- TSCA U.S. Toxic Substances Control Act
- U.S. United States
- vPvB Very Persistent, Very Bioaccumulative Chemical (See REACH)
- WHIMS Canadian Workplace Hazardous Materials Information System

IMPORTANT USE NOTICE

Information contained in this Safety Data Sheet is offered for use by technically qualified personnel at their discretion and risk. All statements, technical information and recommendations contained herein are based on information which we believe to be reliable. However, the accuracy and completeness of such information is not guaranteed and no warranty of any kind, either expressed or implied, is made with respect thereto. This information is not intended as a license to operate under or a recommendation to practice or infringe upon any patent of Getinge or its subsidiaries or others covering any process, composition of matter, or use. Since Getinge or its subsidiaries have no control over the use of this product, Getinge and its subsidiaries assumes no liability of any kind whatsoever for any loss or damages incurred from the proper or improper use of this product. End users of this product are responsible for conforming with all applicable Federal, State, Provincial, International and Local laws, rules and regulations.

END of SDS SDS Current Date 09/21/2017 Authored By: Michael Boozer / ChemReport, Incorporated Co Authored by Joe Vargas / Steritec Products



Getinge is a registered trademark of Getinge AB, its subsidiaries, or affiliates in the United States or other countries • Copyright 2017 Getinge AB or its subsidiaries or affiliates • All rights reserved. SDS769 Rev. B

Manufactured by: SteriTec Products, Inc. 74 Inverness Drive East, Englewood, CO 80112 USA Sales Office: Getinge USA, Inc. 1777 East Henrietta Road, Rochester, NY 14623 USA

www.getinge.com